

<p class="MsoNormal" style="text-align: justify;">Storm Enforcer</p> <p class="MsoNormal" style="text-align: justify;"> </p> <table style="height: 368px;" border="0" width="550"> <tr> <td style="text-align: justify;" width="200">Model Number</td> <td style="text-align: justify;">SGC-1000-KWN1
</td> </tr> <tr> <td width="200">Available Color</td> <td>Black
</td> </tr> <tr> <td width="200">Material</td> <td>Steel body, ABS plastic, Mesh bezel
</td> </tr> <tr> <td width="200">Dimensions</td> <td>(W) 229 x (H) 484.5 x (D) 523.5 mm
(W) 9.0 x (H) 19.0 x (D) 20.6 inch
</td> </tr> <tr> <td width="200">Net Weight</td> <td>8.9 KG / 19.5 lb
</td> </tr> <tr> <td width="200">M/B Type</td> <td>Micro-ATX, ATX
</td> </tr> <tr> <td width="200">5.25" Drive Bay</td> <td>4 Exposed (one could be converted to 3.5\diamond bay)
</td> </tr> <tr> <td width="200">3.5" Drive Bay</td> <td>1 Exposed (converted to 5.25\diamond bay) / 6 Hidden
</td> </tr> <tr> <td width="200">2.5\diamond Drive Bay</td> <td>4 Hidden (two converted from 3.5\diamond bay)
</td> </tr> <tr> <td width="200">Cooling System</td> <td>Front: 200mm Red LED fan x 1, 1000 RPM, 19 dBA
Rear: 120mm black fan x 1, 1200 RPM, 17 dBA
Top: 200 mm black fan x 1 (optional ; can be swapped for two 120mm fans)
</td> </tr> <tr> <td width="200">Expansion Slots</td> <td>7 + 1
</td> </tr> <tr> <td width="200">I/O Panel</td> <td>USB3.0 x 2 (internal), USB2.0 x 2, Mic x 1, Audio x 1
</td> </tr> <tr> <td width="200">Power Supply</td> <td>Standard ATX PS2 / EPS 12V (Optional)
</td> </tr> <tr> <td width="200">Maximum Compatibility</td> <td>CPU cooler height: 175mm
VGA card length: 270mm (with HDD cage)
390mm (without HDD cage)</td> </tr> </table> <p class="MsoNormal" style="text-align: justify;">\diamond</p> <p class="MsoNormal" style="text-align: justify;">Cijena sa PDV-om :220.00 KM</p> <p class="MsoNormal" style="text-align: justify;">\diamond</p> <hr /> <p>\diamond</p> <p>Cosmos II Black</p> <p>\diamond</p> <p class="MsoNormal" style="text-align: justify;"></p> <table style="height: 430px;" border="0" cellspacing="0" cellpadding="2" width="556"> <tr> <td class="specs" width="100" valign="top"> <p>Available Color</p> </td> <td class="specs">Midnight Black</td> </tr> <tr> <td class="specs2" width="100" valign="top">Material</td> <td class="specs2">Exterior: Aluminum, Mesh, Synthetics;
Interior: Steel-Alloy, Synthetics, Rubber</td> </tr> <tr> <td class="specs" width="100" valign="top">Dimension (W / H / D)</td> <td class="specs">344 x 704 x 664 mm / 13.5 x 27.7 x 26.1 inch</td> </tr> <tr> <td class="specs2" width="100" valign="top">Weight</td> <td></td> </tr> </table>

class="specs2">22 kg / 48.5 lb</td> </tr> <tr> <td class="specs" width="100" valign="top">M/B Type</td> <td class="specs">Micro-ATX, ATX, E-ATX, XL-ATX, SSI CEB, SSI EEB</td> </tr> <tr> <td class="specs2" width="100" valign="top">5.25" Drive Bays</td> <td class="specs2">3</td> </tr> <tr> <td class="specs" width="100" valign="top">3.5" Drive Bays</td> <td class="specs">13 (2 from X-docking with key locks, 5 HDDs in the Middle cage, 6 HDDs in the bottom cage)</td> </tr> <tr> <td class="specs2" width="100" valign="top">I/O Panel</td> <td class="specs2">USB 3.0 x 2, USB 2.0 x 4, e-SATA x 1, Audio In and Out</td> </tr> <tr> <td class="specs" width="100" valign="top">Expansion Slots</td> <td class="specs">10+1</td> </tr> <tr> <td class="specs2" width="100" valign="top">Cooling System</td> <td class="specs2">Front: 200mm LED fan x 1, 700 RPM, 19 dBA(converted from 120/140mm x 1)
Top: 120mm black fan x 1, 1200 RPM, 17 dBA
(200mm fan x 1 / 140mm fan x 2 / 120mm fan x 3)
Rear: 140mm fan x 1, 1200 RPM, 19 dBA
Side: 120mm fan x 2 (optional)
HDD: Mid.HDD: 120x25mm fan x 1 (optional); Bottom HDD: 120mm fan x 2, 1200 RPM, 17 dBA</td> </tr> <tr> <td class="specs" width="100" valign="top">Power Supply Type</td> <td class="specs">ATX PS2 / EPS 12V (optional)</td> </tr> <tr> <td class="specs2" width="100" valign="top">2.5" Drive Bays</td> <td class="specs2">11 (converted from 3.5" cages)</td> </tr> <tr> <td class="specs" width="100" valign="top">Maximum Compatibility</td> <td class="specs"> <p>CPU cooler height: 190mm / 7.48 inch
VGA card length: 385mm / 15.15 inch</p> </td> </tr> </table> <p class="MsoNormal" style="text-align: justify;">Cijena sa PDV-om: 796.00KM</p> <p class="MsoNormal" style="text-align: justify;">
</p> <p class="MsoNormal" style="text-align: justify;"></p> <hr /> <p>♦</p> <p>HAF X</p> <p></p> <table style="height: 426px;" border="0" cellspacing="0" cellpadding="2" width="560"> <tr> <td class="specs" width="100" valign="top">Color</td> <td class="specs">Black</td> </tr> <tr> <td class="specs2" width="100" valign="top">Material</td> <td class="specs2">Steel + Plastic</td> </tr> <tr> <td class="specs" width="100" valign="top">Dimension (W / H / D)</td> <td class="specs">230 x 599 x 550 mm / 9.1 x 23.6 x 21.7 inch</td> </tr> <tr> <td class="specs2" width="100" valign="top">Weight</td> <td class="specs2">Net Weight:14.35 kg / 31.6 lbs ; Gross Weight:16.08 kg / 35.5 lbs</td> </tr> <tr> <td class="specs" width="100" valign="top">M/B Type</td> <td class="specs">M-ATX / ATX / E-ATX / GIGABYTE XL-ATX</td> </tr> <tr> <td class="specs2" width="100" valign="top">5.25" Drive Bays</td> <td class="specs2">6 (2 converted SATA HDD drive bay available)</td> </tr> <tr> <td class="specs" width="100" valign="top">3.5" Drive Bays</td> <td class="specs">5 Hidden
(2 in 1

2.5" and 1.8" SSD drive support)</td> </tr> <tr> <td class="specs2" width="100" valign="top">2.5" Drive Bays</td> <td class="specs2">2 (converted from 5.25 drive bays)</td> </tr> <tr> <td class="specs" width="100" valign="top">I/O Panel</td> <td class="specs">USB 3.0 x 2 (Internal),USB 2.0 x 2, IEEE 1394a x 1, e-SATA x 1, Audio x 1, Mic x 1,</td> </tr> <tr> <td class="specs2" width="100" valign="top">Expansion Slots</td> <td class="specs2">9</td> </tr> <tr> <td class="specs" width="100" valign="top">Cooling System</td> <td class="specs">Front:230 x 30 mm red LED fan on/off x 1
Top:200 x 30mm fans x 2 (one optional)
Side:200 x 30mm fan x 1
Rear:140 x 25mm fan x 1
VGA Fan Duct:120 x 25 mm or 120 x 38 mm fan x 1(optional)
VGA Holder:80 x 15 mm fan x 1(optional)</td> </tr> <tr> <td class="specs2" width="100" valign="top">Power Supply Type</td> <td class="specs2">Bottom / Standard ATX PS2(optional)</td> </tr> <tr> <td class="specs" width="100" valign="top">Maximum Compatibility</td> <td class="specs"> <p>VGA Card length :342.0mm
CPU cooler height:190.0mm</p> <p>◆</p> </td> </tr> </table> <h6> </h6> <p>Cijena sa PDV-om: 448.00 KM</p> <p>
</p> <hr /> <p>◆</p> <p>HAF 932 Advanced</p> <p></p> <table style="height: 388px;" border="0" cellspacing="0" cellpadding="2" width="563"> <tr> <td class="specs" width="100" valign="top">Available Color</td> <td class="specs">BLACK</td> </tr> <tr> <td class="specs2" width="100" valign="top">Material</td> <td class="specs2">SECC, Plastic</td> </tr> <tr> <td class="specs" width="100" valign="top">Dimension (W / H / D)</td> <td class="specs">(W) 243 x (H) 560 x (D) 564 mm
(W) 9.6 x (H) 22.0 x (D) 22.2 inch</td> </tr> <tr> <td class="specs2" width="100" valign="top">Weight</td> <td class="specs2">13.4 KG / 29.5 lbs</td> </tr> <tr> <td class="specs" width="100" valign="top">M/B Type</td> <td class="specs">Micro-ATX / ATX / E-ATX</td> </tr> <tr> <td class="specs2" width="100" valign="top">5.25" Drive Bays</td> <td class="specs2">5 (without the use of exposed 3.5 inch drive bay)</td> </tr> <tr> <td class="specs" width="100" valign="top">3.5" Drive Bays</td> <td class="specs">5 Hidden
Exposed (converted from one 5.25" drive bay)</td> </tr> <tr> <td class="specs2" width="100" valign="top">2.5" Drive Bays</td> <td class="specs2">4 (converted from two 3.5" drive bay)</td> </tr> <tr> <td class="specs" width="100" valign="top">I/O Panel</td> <td class="specs">USB 3.0 x 2
USB 2.0 x 4, IEEE 1394a x 1, eSATA x 1, Mic x 1, Audio x 1 (supports HD audio)</td> </tr> <tr> <td class="specs2" width="100" valign="top">Expansion Slots</td> <td class="specs2">7</td> </tr> <tr> <td class="specs" width="100" valign="top">Cooling System</td> <td class="specs">Front: 230 x 30 mm red LED fan x 1 / 700 rpm / 19 dBA
Side: 230 x 30 mm standard fan x 1 / 700 rpm / 19 dBA (supports 120 mm fan x 4)
Top: 230 x 30 mm fan x 1 / 700 rpm / 19 dBA (supports 120 mm fan x 3 / 120 mm fan x 1 + 230 x 30 mm fan x 1)
Rear: 140 x 25 mm fan x 1, 1200 RPM, 17 dBA (supports 140 mm fan)</td> </tr> <tr> <td class="specs2" width="100" valign="top">Power Supply Type</td> <td

class="specs2">Standard ATX PS2 / EPS 12V (optional)</td> </tr> <tr> <td class="specs" width="100" valign="top">Maximum Compatibility</td> <td class="specs">VGA Card length :320.7mm
CPU cooler height:172.1mm
</td> </tr> </table> <p>Cijena sa PDV-om: 299.00 KM</p> <p>♦</p> <hr /> <h6>Napomena: Sve fotografije su informativnog karaktera i ne moraju nu♦no da oslikavaju izgled proizvoda. Zadr♦avamo pravo na promjenu cijene bez prethodne najave. Kontaktirajte nas za vi♦e detalja.</h6>